

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 6/30/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
									<= 90 Mins		> 2 Hours	
	#	#	#	%	#	%	#	%	#	%	#	%
Q1 2016												
Atlanticare Regional Medical Center-Mainland	51	2	0	0.0%	0	0.0%	48	94.1%	49	96.1%	1	2.0%
Bayonne Medical Center	9	0	0	0.0%	1	11.1%	8	88.9%	7	77.8%	1	11.1%
Capital Health System at Hopewell	19	0	0	0.0%	0	0.0%	19	100.0%	14	73.7%	0	0.0%
CarePoint Health-Christ Hospital	12	3	1	8.3%	0	0.0%	8	66.7%	7	58.3%	5	41.7%
Chilton Memorial Hospital	15	0	0	0.0%	2	13.3%	13	86.7%	15	100.0%	0	0.0%
Clara Maass Medical Center	9	0	0	0.0%	1	11.1%	8	88.9%	8	88.9%	0	0.0%
Community Medical Center	20	0	0	0.0%	2	10.0%	18	90.0%	17	85.0%	1	5.0%
Deborah Heart and Lung Center	5	1	1	20.0%	0	0.0%	0	0.0%	5	100.0%	0	0.0%
Englewood Hospital and Medical Center	13	3	3	23.1%	1	7.7%	9	69.2%	11	84.6%	0	0.0%
Hackensack University Medical Center	47	4	2	4.3%	4	8.5%	36	76.6%	39	83.0%	4	8.5%
Holy Name Hospital	12	2	0	0.0%	0	0.0%	9	75.0%	7	58.3%	3	25.0%
Hunterdon Medical Center	15	0	0	0.0%	0	0.0%	15	100.0%	14	93.3%	0	0.0%
Inspira Medical Center Woodbury	24	1	0	0.0%	2	8.3%	21	87.5%	21	87.5%	0	0.0%
Jersey City Medical Center	21	1	3	14.3%	1	4.8%	16	76.2%	21	100.0%	0	0.0%
Jersey Shore University Medical Center	31	3	9	29.0%	5	16.1%	15	48.4%	23	74.2%	1	3.2%
JFK Medical Center (Edison)	30	0	0	0.0%	3	10.0%	25	83.3%	25	83.3%	0	0.0%
Monmouth Medical Center	12	1	0	0.0%	0	0.0%	11	91.7%	11	91.7%	0	0.0%
Morristown Memorial Hospital	39	2	1	2.6%	2	5.1%	34	87.2%	36	92.3%	1	2.6%
Mountainside Hospital	7	0	0	0.0%	3	42.9%	4	57.1%	7	100.0%	0	0.0%
Newark Beth Israel Medical Center	16	4	0	0.0%	2	12.5%	10	62.5%	15	93.8%	0	0.0%
Ocean Medical Center	29	0	1	3.4%	1	3.4%	28	96.6%	25	86.2%	1	3.4%
Our Lady of Lourdes Medical Center	35	2	0	0.0%	0	0.0%	33	94.3%	29	82.9%	1	2.9%
Overlook Hospital	26	0	0	0.0%	1	3.8%	25	96.2%	15	57.7%	5	19.2%
Raritan Bay Medical Center - Perth Amboy	17	2	1	5.9%	0	0.0%	15	88.2%	15	88.2%	1	5.9%
Riverview Medical Center	8	0	0	0.0%	0	0.0%	8	100.0%	8	100.0%	0	0.0%
Robert Wood Johnson University Hospital	52	5	1	1.9%	6	11.5%	42	80.8%	45	86.5%	2	3.8%
RWJ University Hospital at Hamilton	12	0	0	0.0%	0	0.0%	12	100.0%	9	75.0%	0	0.0%
RWJ University Hospital at Rahway	17	1	4	23.5%	0	0.0%	12	70.6%	15	88.2%	2	11.8%
RWJ University Hospital at Somerset	26	0	1	3.8%	0	0.0%	25	96.2%	21	80.8%	0	0.0%
St. Barnabas Medical Center	15	0	0	0.0%	1	6.7%	14	93.3%	12	80.0%	0	0.0%
St. Clare's Hospital - Denville	29	0	0	0.0%	0	0.0%	29	100.0%	25	86.2%	0	0.0%
St. Francis Medical Center	8	0	1	12.5%	0	0.0%	8	100.0%	8	100.0%	0	0.0%
St. Joseph's Regional Medical Center	29	1	1	3.4%	0	0.0%	27	93.1%	26	89.7%	1	3.4%
St. Mary's Hospital (Passaic)	5	0	1	20.0%	0	0.0%	5	100.0%	4	80.0%	1	20.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 6/30/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
									<= 90 Mins		> 2 Hours	
	#	#	#	%	#	%	#	%	#	%	#	%
St. Michael's Medical Center	9	0	0	0.0%	0	0.0%	7	77.8%	7	77.8%	1	11.1%
St. Peter's University Hospital	15	0	0	0.0%	0	0.0%	15	100.0%	12	80.0%	1	6.7%
The Cooper Health System	18	3	0	0.0%	1	5.6%	14	77.8%	18	100.0%	0	0.0%
Trinitas Hospital	18	0	0	0.0%	1	5.6%	17	94.4%	11	61.1%	4	22.2%
University Hospital	18	0	3	16.7%	0	0.0%	15	83.3%	15	83.3%	2	11.1%
University Medical Ctr at Princeton in Plainsboro	7	0	0	0.0%	0	0.0%	7	100.0%	6	85.7%	0	0.0%
Valley Hospital	28	1	0	0.0%	2	7.1%	23	82.1%	25	89.3%	1	3.6%
Virtua-Memorial Hospital Burlington Cty.	22	1	0	0.0%	0	0.0%	20	90.9%	16	72.7%	3	13.6%
Virtua-West Jersey Hospital Marlton	31	0	0	0.0%	0	0.0%	31	100.0%	30	96.8%	1	3.2%
Total	881	43	34	3.9%	42	4.8%	759	86.2%	749	85.0%	44	5.0%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 6/30/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
									<= 90 Mins		> 2 Hours	
	#	#	#	%	#	%	#	%	#	%	#	%
Q2 2016												
Atlanticare Regional Medical Center-Mainland	54	1	0	0.0%	1	1.9%	52	96.3%	52	96.3%	2	3.7%
Bayonne Medical Center	12	0	0	0.0%	2	16.7%	10	83.3%	10	83.3%	0	0.0%
Capital Health System at Hopewell	11	0	0	0.0%	0	0.0%	11	100.0%	10	90.9%	0	0.0%
CarePoint Health-Christ Hospital	8	0	0	0.0%	0	0.0%	8	100.0%	7	87.5%	1	12.5%
Chilton Memorial Hospital	13	0	0	0.0%	0	0.0%	13	100.0%	13	100.0%	0	0.0%
Clara Maass Medical Center	11	1	1	9.1%	1	9.1%	7	63.6%	10	90.9%	0	0.0%
Community Medical Center	32	0	1	3.1%	2	6.3%	29	90.6%	29	90.6%	0	0.0%
Deborah Heart and Lung Center	8	0	3	37.5%	1	12.5%	4	50.0%	7	87.5%	1	12.5%
Englewood Hospital and Medical Center	25	4	23	92.0%	0	0.0%	1	4.0%	7	28.0%	16	64.0%
Hackensack University Medical Center	47	2	0	0.0%	1	2.1%	43	91.5%	36	76.6%	2	4.3%
Holy Name Hospital	8	0	1	12.5%	0	0.0%	7	87.5%	8	100.0%	0	0.0%
Hunterdon Medical Center	18	0	0	0.0%	0	0.0%	18	100.0%	18	100.0%	0	0.0%
Inspira Medical Center Woodbury	22	1	0	0.0%	1	4.5%	21	95.5%	19	86.4%	1	4.5%
Jersey City Medical Center	15	2	2	13.3%	0	0.0%	13	86.7%	13	86.7%	2	13.3%
Jersey Shore University Medical Center	39	3	9	23.1%	2	5.1%	17	43.6%	24	61.5%	7	17.9%
JFK Medical Center (Edison)	16	0	2	12.5%	1	6.3%	14	87.5%	14	87.5%	1	6.3%
Monmouth Medical Center	10	0	1	10.0%	0	0.0%	9	90.0%	8	80.0%	1	10.0%
Morristown Memorial Hospital	34	1	0	0.0%	1	2.9%	32	94.1%	31	91.2%	2	5.9%
Mountainside Hospital	13	2	0	0.0%	1	7.7%	10	76.9%	9	69.2%	2	15.4%
Newark Beth Israel Medical Center	15	2	0	0.0%	1	6.7%	11	73.3%	11	73.3%	2	13.3%
Ocean Medical Center	23	1	0	0.0%	0	0.0%	18	78.3%	22	95.7%	1	4.3%
Our Lady of Lourdes Medical Center	27	4	0	0.0%	0	0.0%	23	85.2%	25	92.6%	1	3.7%
Overlook Hospital	31	0	0	0.0%	2	6.5%	29	93.5%	21	67.7%	1	3.2%
Raritan Bay Medical Center - Perth Amboy	19	0	4	21.1%	0	0.0%	14	73.7%	19	100.0%	0	0.0%
Riverview Medical Center	13	1	0	0.0%	0	0.0%	12	92.3%	10	76.9%	1	7.7%
Robert Wood Johnson University Hospital	40	6	1	2.5%	5	12.5%	28	70.0%	36	90.0%	1	2.5%
RWJ University Hospital at Hamilton	8	0	0	0.0%	0	0.0%	8	100.0%	5	62.5%	1	12.5%
RWJ University Hospital at Rahway	19	0	0	0.0%	1	5.3%	18	94.7%	15	78.9%	2	10.5%
RWJ University Hospital at Somerset	22	1	2	9.1%	0	0.0%	20	90.9%	19	86.4%	3	13.6%
St. Barnabas Medical Center	19	0	0	0.0%	0	0.0%	18	94.7%	15	78.9%	1	5.3%
St. Clare's Hospital - Denville	25	0	0	0.0%	2	8.0%	22	88.0%	22	88.0%	0	0.0%
St. Francis Medical Center	6	0	0	0.0%	0	0.0%	6	100.0%	5	83.3%	1	16.7%
St. Joseph's Regional Medical Center	25	1	0	0.0%	0	0.0%	24	96.0%	21	84.0%	1	4.0%
St. Mary's Hospital (Passaic)	6	2	2	33.3%	0	0.0%	3	50.0%	4	66.7%	2	33.3%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 6/30/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
									<= 90 Mins		> 2 Hours	
	#	#	#	%	#	%	#	%	#	%	#	%
St. Michael's Medical Center	8	0	0	0.0%	1	12.5%	7	87.5%	5	62.5%	2	25.0%
St. Peter's University Hospital	5	0	0	0.0%	0	0.0%	5	100.0%	5	100.0%	0	0.0%
The Cooper Health System	20	0	0	0.0%	1	5.0%	17	85.0%	17	85.0%	0	0.0%
Trinitas Hospital	12	0	0	0.0%	4	33.3%	6	50.0%	9	75.0%	1	8.3%
University Hospital	15	1	3	20.0%	1	6.7%	10	66.7%	11	73.3%	1	6.7%
University Medical Ctr at Princeton in Plainsboro	11	1	0	0.0%	0	0.0%	10	90.9%	7	63.6%	0	0.0%
Valley Hospital	28	1	0	0.0%	1	3.6%	25	89.3%	24	85.7%	0	0.0%
Virtua-Memorial Hospital Burlington Cty.	17	3	0	0.0%	1	5.9%	12	70.6%	10	58.8%	1	5.9%
Virtua-West Jersey Hospital Marlton	39	0	0	0.0%	0	0.0%	39	100.0%	29	74.4%	5	12.8%
Total	849	41	55	6.5%	34	4.0%	704	82.9%	692	81.5%	66	7.8%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 6/30/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
									<= 90 Mins		> 2 Hours	
	#	#	#	%	#	%	#	%	#	%	#	%
2016 Total												
Atlanticare Regional Medical Center-Mainland	105	3	0	0.0%	1	1.0%	100	95.2%	101	96.2%	3	2.9%
Bayonne Medical Center	21	0	0	0.0%	3	14.3%	18	85.7%	17	81.0%	1	4.8%
Capital Health System at Hopewell	30	0	0	0.0%	0	0.0%	30	100.0%	24	80.0%	0	0.0%
CarePoint Health-Christ Hospital	20	3	1	5.0%	0	0.0%	16	80.0%	14	70.0%	6	30.0%
Chilton Memorial Hospital	28	0	0	0.0%	2	7.1%	26	92.9%	28	100.0%	0	0.0%
Clara Maass Medical Center	20	1	1	5.0%	2	10.0%	15	75.0%	18	90.0%	0	0.0%
Community Medical Center	52	0	1	1.9%	4	7.7%	47	90.4%	46	88.5%	1	1.9%
Deborah Heart and Lung Center	13	1	4	30.8%	1	7.7%	4	30.8%	12	92.3%	1	7.7%
Englewood Hospital and Medical Center	38	7	26	68.4%	1	2.6%	10	26.3%	18	47.4%	16	42.1%
Hackensack University Medical Center	94	6	2	2.1%	5	5.3%	79	84.0%	75	79.8%	6	6.4%
Holy Name Hospital	20	2	1	5.0%	0	0.0%	16	80.0%	15	75.0%	3	15.0%
Hunterdon Medical Center	33	0	0	0.0%	0	0.0%	33	100.0%	32	97.0%	0	0.0%
Inspira Medical Center Woodbury	46	2	0	0.0%	3	6.5%	42	91.3%	40	87.0%	1	2.2%
Jersey City Medical Center	36	3	5	13.9%	1	2.8%	29	80.6%	34	94.4%	2	5.6%
Jersey Shore University Medical Center	70	6	18	25.7%	7	10.0%	32	45.7%	47	67.1%	8	11.4%
JFK Medical Center (Edison)	46	0	2	4.3%	4	8.7%	39	84.8%	39	84.8%	1	2.2%
Monmouth Medical Center	22	1	1	4.5%	0	0.0%	20	90.9%	19	86.4%	1	4.5%
Morristown Memorial Hospital	73	3	1	1.4%	3	4.1%	66	90.4%	67	91.8%	3	4.1%
Mountainside Hospital	20	2	0	0.0%	4	20.0%	14	70.0%	16	80.0%	2	10.0%
Newark Beth Israel Medical Center	31	6	0	0.0%	3	9.7%	21	67.7%	26	83.9%	2	6.5%
Ocean Medical Center	52	1	1	1.9%	1	1.9%	46	88.5%	47	90.4%	2	3.8%
Our Lady of Lourdes Medical Center	62	6	0	0.0%	0	0.0%	56	90.3%	54	87.1%	2	3.2%
Overlook Hospital	57	0	0	0.0%	3	5.3%	54	94.7%	36	63.2%	6	10.5%
Raritan Bay Medical Center - Perth Amboy	36	2	5	13.9%	0	0.0%	29	80.6%	34	94.4%	1	2.8%
Riverview Medical Center	21	1	0	0.0%	0	0.0%	20	95.2%	18	85.7%	1	4.8%
Robert Wood Johnson University Hospital	92	11	2	2.2%	11	12.0%	70	76.1%	81	88.0%	3	3.3%
RWJ University Hospital at Hamilton	20	0	0	0.0%	0	0.0%	20	100.0%	14	70.0%	1	5.0%
RWJ University Hospital at Rahway	36	1	4	11.1%	1	2.8%	30	83.3%	30	83.3%	4	11.1%
RWJ University Hospital at Somerset	48	1	3	6.3%	0	0.0%	45	93.8%	40	83.3%	3	6.3%
St. Barnabas Medical Center	34	0	0	0.0%	1	2.9%	32	94.1%	27	79.4%	1	2.9%
St. Clare's Hospital - Denville	54	0	0	0.0%	2	3.7%	51	94.4%	47	87.0%	0	0.0%
St. Francis Medical Center	14	0	1	7.1%	0	0.0%	14	100.0%	13	92.9%	1	7.1%
St. Joseph's Regional Medical Center	54	2	1	1.9%	0	0.0%	51	94.4%	47	87.0%	2	3.7%
St. Mary's Hospital (Passaic)	11	2	3	27.3%	0	0.0%	8	72.7%	8	72.7%	3	27.3%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.

**New Jersey Department of Health
Primary Angioplasty Quarterly Report 1/1/2016 - 6/30/2016**

Hospital	Facility Volume	AMI > 12 Hours	No ST Elevation and no Uninterpretable ECG		Contraindications in Hemodynamically Stable Patients		Primary PTCA Eligible		Arrival-to-Balloon			
									<= 90 Mins		> 2 Hours	
	#	#	#	%	#	%	#	%	#	%	#	%
St. Michael's Medical Center	17	0	0	0.0%	1	5.9%	14	82.4%	12	70.6%	3	17.6%
St. Peter's University Hospital	20	0	0	0.0%	0	0.0%	20	100.0%	17	85.0%	1	5.0%
The Cooper Health System	38	3	0	0.0%	2	5.3%	31	81.6%	35	92.1%	0	0.0%
Trinitas Hospital	30	0	0	0.0%	5	16.7%	23	76.7%	20	66.7%	5	16.7%
University Hospital	33	1	6	18.2%	1	3.0%	25	75.8%	26	78.8%	3	9.1%
University Medical Ctr at Princeton in Plainsboro	18	1	0	0.0%	0	0.0%	17	94.4%	13	72.2%	0	0.0%
Valley Hospital	56	2	0	0.0%	3	5.4%	48	85.7%	49	87.5%	1	1.8%
Virtua-Memorial Hospital Burlington Cty.	39	4	0	0.0%	1	2.6%	32	82.1%	26	66.7%	4	10.3%
Virtua-West Jersey Hospital Marlton	70	0	0	0.0%	0	0.0%	70	100.0%	59	84.3%	6	8.6%
Total	1730	84	89	5.1%	76	4.4%	1463	84.6%	1441	83.3%	110	6.4%

Primary PCI procedures that were unsuccessful are excluded from door-to-balloon counts.

Arrival-to-Balloon refers to PCI hospital arrival to reperfusion.